

Datasheet for ABIN630853

**anti-GC-Rich Promoter Binding Protein 1 (GPBP1) (N-Term)  
antibody**[Go to Product page](#)**2** Images

## Overview

Quantity:	100 µL
Target:	GC-Rich Promoter Binding Protein 1 (GPBP1)
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	Un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	DKFZP761 C169 antibody was raised using the N terminal Of Dkfpz761 169 corresponding to a region with amino acids RKEKNGWRTHGRNGTENINHRGGYHGGSSRSRSSFHAGKSQGLHENNIP
Specificity:	DKFZP761 C169 antibody was raised against the N terminal Of Dkfpz761 169
Purification:	Affinity purified

## Target Details

Target:	GC-Rich Promoter Binding Protein 1 (GPBP1)
Abstract:	<a href="#">GPBP1 Products</a>
Background:	Vasculin is a novel vascular protein differentially expressed in human atherogenesis.

## Target Details

---

Molecular Weight: 52 kDa (MW of target protein)

## Application Details

---

Application Notes: WB: 0.5 µg/mL, IHC: 4-8 µg/mL  
Optimal conditions should be determined by the investigator.

Comment: DKFZP761C169 Blocking Peptide, catalog no. 33R-7991, is also available for use as a blocking control in assays to test for specificity of this DKFZP761C169 antibody

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of DKFZP760 169 antibody in PBS

Concentration: Lot specific

Buffer: PBS


Handling Advice: Avoid repeated freeze/thaw cycles.  
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.


## Images

---



### Immunohistochemistry

**Image 1.** DKFZP761C169 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of renal tubule (Indicated with Arrows) in Human Kidney. Magnification is at 400X



### Western Blotting

**Image 2.** DKFZP761C169 antibody used at 0.5 ug/ml to detect target protein.