

Datasheet for ABIN631153 anti-PCDH17 antibody (C-Term)

1 Image



Go to Product page

\sim			
	ve	r\/	٨
\cup	V C	1 V I	٧V

Overview		
Quantity:	100 μL	
Target:	PCDH17	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PCDH17 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	PCDH17 antibody was raised using the C terminal of PCDH17 corresponding to a region with	
	amino acids SEMGAVLEQLDHPNRDLGRESVDAEEVVREIDKLLQDCRGNDPVAVRK	
Specificity:	PCDH17 antibody was raised against the C terminal of PCDH17	
Purification:	Affinity purified	
Target Details		
Target:	PCDH17	
Alternative Name:	PCDH17 (PCDH17 Products)	
Background:	PCDH17 contains six extracellular cadherin domains, a transmembrane domain, and a	
	cytoplasmic tail differing from those of the classical cadherins. It may play a role in the	
	establishment and function of specific cell-cell connections in the brain.	

Target Details


Molecular Weight:	124 kDa (MW of target protein)
Application Details	

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	PCDH17 Blocking Peptide, catalog no. 33R-8394, is also available for use as a blocking control in assays to test for specificity of this PCDH17 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of PCDH17 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. PCDH17 antibody used at 1 ug/ml to detect target protein.