

Datasheet for ABIN631260
anti-TSKS antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	TSKS
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSKS antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	TSKS antibody was raised using the N terminal of TSKS corresponding to a region with amino acids MASVVKTIWQSKEIHEAGDPTGVESCSQLVPEAPRRVTSRAKGIPKKK
Specificity:	TSKS antibody was raised against the N terminal of TSKS
Purification:	Affinity purified

Target Details

Target:	TSKS
Alternative Name:	TSKS (TSKS Products)
Background:	TSKS may play a role in testicular physiology, spermatogenesis or spermiogenesis. Expression of TSKS is highest in the testis and down-regulated in testicular cancer.

Target Details

Molecular Weight: 65 kDa (MW of target protein)

Pathways: [Toll-Like Receptors Cascades](#)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: TSKS Blocking Peptide, catalog no. 33R-5767, is also available for use as a blocking control in assays to test for specificity of this TSKS antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TSKS antibody in PBS

Concentration: Lot specific


Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C


Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Immunohistochemistry

Image 1. TSKS antibody was used for immunohistochemistry at a concentration of 4-8 µg/ml. Magnification is at 400X



Western Blotting

Image 2. TSKS antibody used at 1 ug/ml to detect target protein.