

Datasheet for ABIN631651 **anti-WDR34 antibody (C-Term)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	WDR34
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR34 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	WDR34 antibody was raised using the C terminal of WDR34 corresponding to a region with amino acids SLKYLF AVRWSPVRPLVFAAASGKGDVQLFDLQKSSQKPTVLIKQTQDES
Specificity:	WDR34 antibody was raised against the C terminal of WDR34
Purification:	Affinity purified

Target Details

Target:	WDR34
Alternative Name:	WDR34 (WDR34 Products)
Background:	WDR34 is a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this

Target Details

family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation.

Molecular Weight: 58 kDa (MW of target protein)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: WDR34 Blocking Peptide, catalog no. 33R-8605, is also available for use as a blocking control in assays to test for specificity of this WDR34 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of WDR34 antibody in PBS

Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. WDR34 antibody used at 1 ug/ml to detect target protein.