

Datasheet for ABIN631823
anti-FBXW10 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	FBXW10
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXW10 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	FBXW10 antibody was raised using the N terminal of FBXW10 corresponding to a region with amino acids SPEKDHSSKSATSQVYWTAKTQHTSLPLSKAPENEHLLGAASNPEEPWRN
Specificity:	FBXW10 antibody was raised against the N terminal of FBXW10
Purification:	Affinity purified

Target Details

Target:	FBXW10
Alternative Name:	FBXW10 (FBXW10 Products)
Background:	Members of the F-box protein family, such as FBXW10, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1, cullin, and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact

Target Details

with ubiquitination targets through other protein interaction domains.

Molecular Weight: 120 kDa (MW of target protein)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: FBXW10 Blocking Peptide, catalog no. 33R-8670, is also available for use as a blocking control in assays to test for specificity of this FBXW10 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of FBXW10 antibody in PBS

Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. FBXW10 antibody used at 1 ug/ml to detect target protein.