

Datasheet for ABIN631824

anti-FBXW10 antibody (Middle Region)






Go to Product page

_						
	1//	Д	rv	16	٦/	٨
U	W	\vdash	ΙV	Ιt	٦,	/V

Overview		
Quantity:	100 μL	
Target:	FBXW10	
Binding Specificity:	Middle Region	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FBXW10 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	FBXW10 antibody was raised using the middle region of FBXW10 corresponding to a region	
	with amino acids RKIHLLDIIQVKAIPVEFRGHAGSVRALFLCEEENFLLSGSYDLSIRYWD	
Specificity:	FBXW10 antibody was raised against the middle region of FBXW10	
Purification:	Affinity purified	
Target Details		
Target:	FBXW10	
Alternative Name:	FBXW10 (FBXW10 Products)	
Background:	Members of the F-box protein family, such as FBXW10, are characterized by an approximately	
	40-amino acid F-box motif. SCF complexes, formed by SKP1, cullin, and F-box proteins, act as	
	protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact	

Target Details

	with ubiquitination targets through other protein interaction domains.	
Molecular Weight:	120 kDa (MW of target protein)	
Application Details		
Application Notes:	WB: 1 μg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	FBXW10 Blocking Peptide, catalog no. 33R-7996, is also available for use as a blocking control	
	in assays to test for specificity of this FBXW10 antibody	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of FBXW10 antibody in	
	PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles.	
	Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	



Western Blotting

Image 1. FBXW10 antibody used at 1 ug/ml to detect target protein.