

## Datasheet for ABIN631855

## anti-CCDC38 antibody (N-Term)

# 1 Image



Go to Product page

_				
( )	ve.	rv/	101	Λ

Quantity:	100 μL
Target:	CCDC38
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC38 antibody is un-conjugated
Application:	Western Blotting (WB)
Draduat Dataila	
Product Details	
Immunogen:	CCDC38 antibody was raised using the N terminal of CCDC38 corresponding to a region with
	CCDC38 antibody was raised using the N terminal of CCDC38 corresponding to a region with amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE
Immunogen:	amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE
Immunogen: Specificity:	amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE  CCDC38 antibody was raised against the N terminal of CCDC38
Immunogen:  Specificity:  Purification:	amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE  CCDC38 antibody was raised against the N terminal of CCDC38
Immunogen:  Specificity:  Purification:  Target Details	amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE  CCDC38 antibody was raised against the N terminal of CCDC38  Affinity purified
Immunogen:  Specificity:  Purification:  Target Details  Target:	amino acids RERQLKKAEKKLQDDALAFEEFLRENDQRSVDALKMAAQETINKLQMTAE  CCDC38 antibody was raised against the N terminal of CCDC38  Affinity purified  CCDC38


## **Application Details**

Application Notes:	WB: 1 µg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	CCDC38 Blocking Peptide, catalog no. 33R-7886, is also available for use as a blocking control	
	in assays to test for specificity of this CCDC38 antibody	
Restrictions:	For Research Use only	

## Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CCDC38 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

#### **Images**



#### **Western Blotting**

**Image 1.** CCDC38 antibody used at 1 ug/ml to detect target protein.