

Datasheet for ABIN631969

anti-SPICE1 antibody (N-Term)

1 Image



Go to Product page

\sim			
()\	/ e	rVI	iew

Quantity:	100 μL
Target:	SPICE1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPICE1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Jagot Detailo	
Immunogen:	CCDC52 antibody was raised using the N terminal of CCDC52 corresponding to a region with
	CCDC52 antibody was raised using the N terminal of CCDC52 corresponding to a region with amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET
Immunogen:	amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET
Immunogen: Specificity:	amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET CCDC52 antibody was raised against the N terminal of CCDC52
Immunogen: Specificity: Purification:	amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET CCDC52 antibody was raised against the N terminal of CCDC52
Immunogen: Specificity: Purification: Target Details	amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET CCDC52 antibody was raised against the N terminal of CCDC52 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids TVTDLTVHRATPEDLVRRHEIHKSKNRALVHWELQEKALKRKWRKQKPET CCDC52 antibody was raised against the N terminal of CCDC52 Affinity purified SPICE1


Application Details

Application Notes:	WB: 1 μg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	CCDC52 Blocking Peptide, catalog no. 33R-9371, is also available for use as a blocking control in assays to test for specificity of this CCDC52 antibody	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CCDC52 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

Images



Western Blotting

Image 1. CCDC52 antibody used at 1 ug/ml to detect target protein.