

Datasheet for ABIN631978

anti-CCDC144B antibody (Middle Region)

1 Image



Go to Product page

_						
	1//	Д	rv	16	٦/	٨
U	W	\vdash	ΙV	Ιt	٦,	/V

Quantity:	100 μL
Target:	CCDC144B
Binding Specificity:	Middle Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC144B antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
r roador Betano	
Immunogen:	CCDC144 B antibody was raised using the middle region of CCDC144 corresponding to a region
	CCDC144 B antibody was raised using the middle region of CCDC144 corresponding to a region with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI
Immunogen:	with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI
Immunogen: Specificity:	with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI CCDC144 B antibody was raised against the middle region of CCDC144
Immunogen: Specificity: Purification:	with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI CCDC144 B antibody was raised against the middle region of CCDC144
Immunogen: Specificity: Purification: Target Details	with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI CCDC144 B antibody was raised against the middle region of CCDC144 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	with amino acids TELSGTLTDGTTVGNDDDGLNQQIPRKENEEHDRPADKTANEKNKVKNQI CCDC144 B antibody was raised against the middle region of CCDC144 Affinity purified CCDC144B


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	CCDC144B Blocking Peptide, catalog no. 33R-9046, is also available for use as a blocking
	control in assays to test for specificity of this CCDC144B antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CCDC140 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. CCDC144B antibody used at 1 ug/ml to detect target protein.