

Datasheet for ABIN632224

anti-CSNK2A1/CK II alpha antibody (C-Term)





Go to Product page

_				
()	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	CSNK2A1/CK II alpha (CSNK2A1)	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CSNK2A1/CK II alpha antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	CK2 alpha antibody was raised using the C terminal of CSNK2 A2 corresponding to a region	
	with amino acids GTEELYGYLKKYHIDLDPHFNDILGQHSRKRWENFIHSENRHLVSPEALD	
Specificity:	CK2 alpha antibody was raised against the C terminal of CSNK2 A2	
Purification:	Affinity purified	
Target Details		
Target:	CSNK2A1/CK II alpha (CSNK2A1)	
Alternative Name:	CK2 alpha	
Background:	CSNK2A2 belongs to the protein kinase superfamily, Ser/Thr protein kinase family, CK2	
	subfamily. It contains 1 protein kinase domain. Casein kinases are operationally defined by their	
	preferential utilization of acidic proteins such as caseins as substrates. The alpha and alpha'	

Target Details


	chains contain the catalytic site. CSNK2A2 participates in Wnt signaling. It phosphorylates 'Ser-392' of p53/TP53 following UV irradiation.
Molecular Weight:	39 kDa (MW of target protein)
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	WB: 1 µg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	CK2 alpha Blocking Peptide, (ABIN938991), is also available for use as a blocking control in assays to test for specificity of this CK2 alpha antibody	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CSNK0 2 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	



Western Blotting

Image 1. CK2 alpha antibody used at 1 ug/ml to detect target protein.