

Datasheet for ABIN632310  
**anti-Cyclin J antibody (N-Term)**



[Go to Product page](#)

1 Image

## Overview

|                      |   |
|----------------------|---|
| Quantity:            | 100 µL                                  |
| Target:              | Cyclin J (CCNJ)                         |
| Binding Specificity: | N-Term                                  |
| Reactivity:          | Human                                   |
| Host:                | Rabbit                                  |
| Clonality:           | Polyclonal                              |
| Conjugate:           | This Cyclin J antibody is un-conjugated |
| Application:         | Western Blotting (WB)                   |

## Product Details

|               |  |
|---------------|--|
| Immunogen:    | Cyclin J antibody was raised using the N terminal of CCNJ corresponding to a region with amino acids FMDRYDISIQLHLVALSCLLLASKFEEKEDSVPKLEQLNSLGCMTNMNL |
| Specificity:  | Cyclin J antibody was raised against the N terminal of CCNJ  |
| Purification: | Affinity purified  |

## Target Details

|                   |  |
|-------------------|--|
| Target:           | Cyclin J (CCNJ)  |
| Alternative Name: | Cyclin J ( <a href="#">CCNJ Products</a> )                     |
| Background:       | Cyclin J may be involved in cell division and differentiation. |
| Molecular Weight: | 42 kDa (MW of target protein)                                  |


## Application Details

|                    |  |
|--------------------|--|
| Application Notes: | WB: 1 µg/mL<br>Optimal conditions should be determined by the investigator.  |
| Comment:           | Cyclin J Blocking Peptide, catalog no. 33R-2996, is also available for use as a blocking control in assays to test for specificity of this Cyclin J antibody |
| Restrictions:      | For Research Use only  |

## Handling

|                  |   |
|------------------|---|
| Format:          | Lyophilized   |
| Reconstitution:  | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of CCNJ antibody in PBS |
| Concentration:   | Lot specific  |
| Buffer:          | PBS   |
| Handling Advice: | Avoid repeated freeze/thaw cycles.<br>Dilute only prior to immediate use.                   |
| Storage:         | 4 °C/-20 °C   |
| Storage Comment: | Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.          |

## Images



### Western Blotting

**Image 1.** Cyclin J antibody used at 1 ug/ml to detect target protein.