

## Datasheet for ABIN632333

# anti-C10RF74 antibody (N-Term)





#### Overview

Quantity:	100 μL
Target:	C10RF74
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C10RF74 antibody is un-conjugated
Application:	Western Blotting (WB)
D 1 1 D 1 "	
Product Details	
Product Details Immunogen:	C1 ORF74 antibody was raised using the N terminal Of C1 rf74 corresponding to a region with
	C1 ORF74 antibody was raised using the N terminal Of C1 rf74 corresponding to a region with amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH
Immunogen:	amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH
Immunogen: Specificity:	amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH C1 ORF74 antibody was raised against the N terminal Of C1 rf74
Immunogen:  Specificity:  Purification:	amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH C1 ORF74 antibody was raised against the N terminal Of C1 rf74
Immunogen:  Specificity:  Purification:  Target Details	amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH  C1 ORF74 antibody was raised against the N terminal Of C1 rf74  Affinity purified
Immunogen:  Specificity:  Purification:  Target Details  Target:	amino acids ICLHLAGEVLAVARGLKPAVLYDCNCAGASELQSYLEELKGLGFLTFGLH  C1 ORF74 antibody was raised against the N terminal Of C1 rf74  Affinity purified  C10RF74


## **Application Details**

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	C10RF74 Blocking Peptide, catalog no. 33R-3903, is also available for use as a blocking control
	in assays to test for specificity of this C10RF74 antibody
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of C0 RF74 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

#### **Images**



#### **Western Blotting**

**Image 1.** C10RF74 antibody used at 1 ug/ml to detect target protein.