

Datasheet for ABIN632358

anti-DENND2C antibody (Middle Region)

1 Image



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	100 μL
Target:	DENND2C
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DENND2C antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	DENND2 C antibody was raised using the middle region of DENND2 corresponding to a region
	DENND2 C antibody was raised using the middle region of DENND2 corresponding to a region with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL
Immunogen:	with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL
Immunogen: Specificity:	with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL DENND2 C antibody was raised against the middle region of DENND2
Immunogen: Specificity: Purification:	with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL DENND2 C antibody was raised against the middle region of DENND2
Immunogen: Specificity: Purification: Target Details	with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL DENND2 C antibody was raised against the middle region of DENND2 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	with amino acids DIFESKRGKKKVKLHSYTGKELPPTKGETSGNESDAEYLPKNRHKRLAQL DENND2 C antibody was raised against the middle region of DENND2 Affinity purified DENND2C


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	DENND2C Blocking Peptide, catalog no. 33R-1994, is also available for use as a blocking
	control in assays to test for specificity of this DENND2C antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of DENND0 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

Images



Western Blotting

Image 1. DENND2C antibody used at 1 ug/ml to detect target protein.