

Datasheet for ABIN632775 anti-PRELID2 antibody (C-Term)

1 Image



Go to Product page

\sim	
Over	VIEW
0 1 0.	* 1 0 * *

Overview	
Quantity:	100 μL
Target:	PRELID2
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRELID2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	PRELID2 antibody was raised using the C terminal of PRELID2 corresponding to a region with
	amino acids GRISITGVGFLNCVLETFASTFLRQGAQKGIRIMEMLLKEQCGAPLAE
Specificity:	PRELID2 antibody was raised against the C terminal of PRELID2
Purification:	Affinity purified
Target Details	
Target:	PRELID2
Alternative Name:	PRELID2 (PRELID2 Products)
Background:	PRELID2 contains 1 PRELI/MSF1 domain. The exact function of PRELID2 remains unknown.
Molecular Weight:	22 kDa (MW of target protein)


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	PRELID2 Blocking Peptide, catalog no. 33R-3533, is also available for use as a blocking control
	in assays to test for specificity of this PRELID2 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of PRELID2 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. PRELID2 antibody used at 1 ug/ml to detect target protein.