

Datasheet for ABIN632905

anti-MFAP1 antibody (Middle Region)





Overview

Quantity:	100 μL
Target:	MFAP1
Binding Specificity:	Middle Region
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MFAP1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	MFAP1 antibody was raised using the middle region of MFAP1 corresponding to a region with
	MFAP1 antibody was raised using the middle region of MFAP1 corresponding to a region with amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT
Immunogen:	amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT
Immunogen: Specificity:	amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT MFAP1 antibody was raised against the middle region of MFAP1
Immunogen: Specificity: Purification:	amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT MFAP1 antibody was raised against the middle region of MFAP1
Immunogen: Specificity: Purification: Target Details	amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT MFAP1 antibody was raised against the middle region of MFAP1 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids TKYTHLVDQDTTSFDSAWGQESAQNTKFFKQKAAGVRDVFERPSAKKRKT MFAP1 antibody was raised against the middle region of MFAP1 Affinity purified MFAP1


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	MFAP1 Blocking Peptide, catalog no. 33R-9156, is also available for use as a blocking control in
	assays to test for specificity of this MFAP1 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of MFAP1 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. MFAP1 antibody used at 1 ug/ml to detect target protein.