

Datasheet for ABIN633232

anti-NXF3 antibody (N-Term)





Go to Product page

_	
Over	/۱۵\۸/
OVCIV	/ I C V V

O V CI VIC VV	
Quantity:	100 μL
Target:	NXF3
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NXF3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	NXF3 antibody was raised using the N terminal of NXF3 corresponding to a region with amino acids SLPSGHTTGHTDQVVQRRARCWDIYQRRFSSRSEPVNPGMHSSSHQQQDG
Specificity:	NXF3 antibody was raised against the N terminal of NXF3
Purification:	Affinity purified
Target Details	
Target:	NXF3
Alternative Name:	NXF3 (NXF3 Products)
Background:	NXF3 is one member of a family of nuclear RNA export factors. Common domain features of this family are a noncanonical RNP-type RNA-binding domain (RBD), 4 leucine-rich repeats (LRRs), a nuclear transport factor 2 (NTF2)-like domain that allows heterodimerization with

Target Details

NTF2-related export protein-1 (NXT1), and a ubiquitin-associated domain that mediates	
interactions with nucleoporins. The LRRs and NTF2-like domains are required for export	
activity. NXF3 has shortened LRR and ubiquitin-associated domains and its RDB is unable to	
bind RNA. It is located in the nucleoplasm but is not associated with either the nuclear envelope	
or the nucleolus.	

Molecular Weight:


60 kDa (MW of target protein)

Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	NXF3 Blocking Peptide, catalog no. 33R-8615, is also available for use as a blocking control in assays to test for specificity of this NXF3 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of NXF3 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. NXF3 antibody used at 1 ug/ml to detect target protein.