

# Datasheet for ABIN633321 anti-MIF4GD antibody (N-Term)

## 1 Image



#### Overview

Quantity:	100 μL
Target:	MIF4GD
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MIF4GD antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Troduct Details	
Immunogen:	MIF4 GD antibody was raised using the N terminal of MIF4 D corresponding to a region with
	MIF4 GD antibody was raised using the N terminal of MIF4 D corresponding to a region with amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR
Immunogen:	amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR
Immunogen: Specificity:	amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR  MIF4 GD antibody was raised against the N terminal of MIF4 D
Immunogen:  Specificity:  Purification:	amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR  MIF4 GD antibody was raised against the N terminal of MIF4 D
Immunogen:  Specificity:  Purification:  Target Details	amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR  MIF4 GD antibody was raised against the N terminal of MIF4 D  Affinity purified
Immunogen:  Specificity:  Purification:  Target Details  Target:	amino acids MGEPSREEYKIQSFDAETQQLLKTALKVACFETEDGEYSVCQRSYSNCSR  MIF4 GD antibody was raised against the N terminal of MIF4 D  Affinity purified  MIF4GD


### **Application Details**

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	MIF4GD Blocking Peptide, catalog no. 33R-6024, is also available for use as a blocking control
	in assays to test for specificity of this MIF4GD antibody
Restrictions:	For Research Use only

### Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of MIF0 D antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

#### Images



#### **Western Blotting**

**Image 1.** MIF4GD antibody used at 1 ug/ml to detect target protein.