

Datasheet for ABIN634037

anti-TOR3A antibody (Middle Region)





Go to Product page

_			
	Ve.	rv	iew

Quantity:	100 μL
Target:	TOR3A
Binding Specificity:	Middle Region
Reactivity:	Human, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TOR3A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
1 Toddet Details	
Immunogen:	TOR3 A antibody was raised using the middle region of TOR3 corresponding to a region with
	TOR3 A antibody was raised using the middle region of TOR3 corresponding to a region with amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP
Immunogen:	amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP
Immunogen: Specificity:	amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP TOR3 A antibody was raised against the middle region of TOR3
Immunogen: Specificity: Purification:	amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP TOR3 A antibody was raised against the middle region of TOR3
Immunogen: Specificity: Purification: Target Details	amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP TOR3 A antibody was raised against the middle region of TOR3 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids FHFPHPKYVDLYKEQLMSQIRETQQLCHQTLFIFDEAEKLHPGLLEVLGP TOR3 A antibody was raised against the middle region of TOR3 Affinity purified TOR3A


Application Details

Application Notes:	WB: 0.25 μg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	TOR3A Blocking Peptide, catalog no. 33R-2919, is also available for use as a blocking control in	
	assays to test for specificity of this TOR3A antibody	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TOR0 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

Images



Western Blotting

Image 1. TOR3A antibody used at 0.25 ug/ml to detect target protein.