

Datasheet for ABIN634127 anti-NCAPH antibody (C-Term)

1 Image



Overview

Quantity:	100 μL
Target:	NCAPH
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NCAPH antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	NCAPH antibody was raised using the C terminal of NCAPH corresponding to a region with
	amino acids TKDLQRSLPPVMAQNLSIPLAFACLLHLANEKNLKLEGTEDLSDVLVRQG
Specificity:	NCAPH antibody was raised against the C terminal of NCAPH
Purification:	Affinity purified
Target Details	
Target:	NCAPH
Alternative Name:	NCAPH (NCAPH Products)
Background:	NCAPH is a member of the barr family and a regulatory subunit of the condensin complex. This
	complex is required for the conversion of interphase chromatin into condensed chromosomes.
	The protein is associated with mitotic chromosomes, except during the early phase of

Target Details

- arger became	
	chromosome condensation. During interphase, the protein has a distinct punctate nucleolar localization.
Molecular Weight:	82 kDa (MW of target protein)
Application Details	
Application Notes:	WB: 0.25 μg/mL
	Optimal conditions should be determined by the investigator.
Comment:	NCAPH Blocking Peptide, catalog no. 33R-9135, is also available for use as a blocking control in
	assays to test for specificity of this NCAPH antibody
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of NCAPH antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.
	Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. NCAPH antibody used at 0.25 ug/ml to detect target protein.