

Datasheet for ABIN634214
anti-ANAPC7 antibody (C-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	ANAPC7
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ANAPC7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	ANAPC7 antibody was raised using the C terminal of ANAPC7 corresponding to a region with amino acids ALSLDPNDQKSLEGMQKMEKESPTDATQEEDVDDMEGSGEEGDLEGSDS
Specificity:	ANAPC7 antibody was raised against the C terminal of ANAPC7
Purification:	Affinity purified

Target Details

Target:	ANAPC7
Alternative Name:	ANAPC7 (ANAPC7 Products)
Background:	The anaphase-promoting complex (APC) consists of at least 8 protein subunits, including APC5, CDC27 (APC3), CDC16 (APC6), and CDC23 (APC8).

Target Details

Molecular Weight: 62 kDa (MW of target protein)

Application Details

Application Notes: WB: 0.5 µg/mL, IHC: 4-8 µg/mL
Optimal conditions should be determined by the investigator.

Comment: ANAPC7 Blocking Peptide, catalog no. 33R-1371, is also available for use as a blocking control in assays to test for specificity of this ANAPC7 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of ANAPC7 antibody in PBS

Concentration: Lot specific


Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C


Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Immunohistochemistry

Image 1. ANAPC7 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml to stain Epithelial cells of intestinal villus (arrows) in Human Intestine. Magnification is at 400X



Western Blotting

Image 2. ANAPC7 antibody used at 0.5 ug/ml to detect target protein.