

## Datasheet for ABIN634430

## anti-TP53TG5 antibody (N-Term)

# 1 Image



Go to Product page

0				

Quantity:	100 μL
Target:	TP53TG5
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TP53TG5 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	C20 ORF10 antibody was raised using the N terminal Of C20 rf10 corresponding to a region
Immunogen:	C20 ORF10 antibody was raised using the N terminal Of C20 rf10 corresponding to a region with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN
Immunogen: Specificity:	
	with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN
Specificity:	with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN  C20 ORF10 antibody was raised against the N terminal Of C20 rf10
Specificity: Purification:	with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN  C20 ORF10 antibody was raised against the N terminal Of C20 rf10
Specificity: Purification: Target Details	with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN  C20 ORF10 antibody was raised against the N terminal Of C20 rf10  Affinity purified
Specificity: Purification: Target Details Target:	with amino acids RLRTVLKNLSLLKLLKSSNRRIQELHKLAKRCWHSLLSVPKILRISSGEN  C20 ORF10 antibody was raised against the N terminal Of C20 rf10  Affinity purified  TP53TG5


## **Application Details**

Application Notes:	WB: 1 µg/mL Optimal conditions should be determined by the investigator.
Comment:	C200RF10 Blocking Peptide, catalog no. 33R-8050, is also available for use as a blocking control in assays to test for specificity of this C200RF10 antibody
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of C20 RF10 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

#### **Images**



#### **Western Blotting**

**Image 1.** C200RF10 antibody used at 1 ug/ml to detect target protein.