

Datasheet for ABIN634618 anti-ANXA8L2 antibody (N-Term)

1 Image




Go to i roddot pag	_

Overview	
Quantity:	100 μL
Target:	ANXA8L2
Binding Specificity:	N-Term
Reactivity:	Chemical
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ANXA8L2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Annexin A8-Like 2 antibody was raised using the N terminal of ANXA8 L2 corresponding to a
	region with amino acids PDAETLYKAMKGIGTNEQAIIDVLTKRSNTQRQQIAKSFKAQFGKDLTET
Specificity:	Annexin A8-Like 2 antibody was raised against the N terminal of ANXA8 L2
Cross-Reactivity:	Human
Purification:	Affinity purified
Target Details	
Target:	ANXA8L2
Alternative Name:	Annexin A8-Like 2 (ANXA8L2 Products)
Target Type:	Chemical

Target Details

9	
Background:	ANXA8L2 is a member of the annexin family of evolutionarily conserved Ca2+ and phospholipid binding proteins. The protein may function as an anticoagulant that indirectly inhibits the thromboplastin-specific complex. Overexpression of this gene has been associated with acute myelocytic leukemia. A highly similar duplicated copy of this gene is found in close proximity on the long arm of chromosome 10.
Molecular Weight:	37 kDa (MW of target protein)
Application Details	
Application Notes:	WB: 0.5 μg/mL Optimal conditions should be determined by the investigator.
Comment:	Annexin A8-Like 2 Blocking Peptide, catalog no. 33R-7004, is also available for use as a blocking control in assays to test for specificity of this Annexin A8-Like 2 antibody
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of ANXA0 2 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. Annexin A8-Like 2 antibody used at 0.5 ug/ml to detect target protein.