

Datasheet for ABIN634923 anti-TRIM59 antibody (N-Term)

1 Image



Go to Product page


| \sim | | |
|----------|-------|-------------------------|
| ()\/c | r\/ | lew |
| O^{VC} | - I V | $I \subset V \setminus$ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | TRIM59 |
| Binding Specificity: | N-Term |
| Reactivity: | Human, Dog |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TRIM59 antibody is un-conjugated |
| Application: | Western Blotting (WB) |
| Product Details | |
| Immunogen: | TRIM59 antibody was raised using the N terminal of TRIM59 corresponding to a region with |
| | amino acids RIPLKCPNCRSITEIAPTGIESLPVNFALRAIIEKYQQEDHPDIVTCPEH |
| Specificity: | TRIM59 antibody was raised against the N terminal of TRIM59 |
| Purification: | Affinity purified |
| Target Details | |
| Target: | TRIM59 |
| Alternative Name: | TRIM59 (TRIM59 Products) |
| Background: | The function of TRIM59 protein is not widely studied, and is yet to be elucidated fully. |
| Molecular Weight: | 44 kDa (MW of target protein) |
| | |

Target Details

| Pathways: | SARS-CoV-2 Protein Interactome |
|--|--|
| Application Details | |
| Application Notes: | WB: 1 $\mu g/mL$ Optimal conditions should be determined by the investigator. |
| Comment: | TRIM59 Blocking Peptide, catalog no. 33R-7974, is also available for use as a blocking control in assays to test for specificity of this TRIM59 antibody |
| Restrictions: | For Research Use only |
| Handling | |
| | |
| Format: | Lyophilized |
| Format: Reconstitution: | Lyophilized Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TRIM59 antibody in PBS |
| | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TRIM59 antibody in |
| Reconstitution: | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TRIM59 antibody in PBS |
| Reconstitution: Concentration: | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TRIM59 antibody in PBS Lot specific |
| Reconstitution: Concentration: Buffer: | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of TRIM59 antibody in PBS Lot specific PBS Avoid repeated freeze/thaw cycles. |

Images



Western Blotting

Image 1. TRIM59 antibody used at 1 ug/ml to detect target protein.