

Datasheet for ABIN634945

anti-MFF antibody (C-Term)





Overview

Quantity:	100 μL
Target:	MFF
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MFF antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	C2 ORF33 antibody was raised using the C terminal Of C2 rf33 corresponding to a region with
	C2 ORF33 antibody was raised using the C terminal Of C2 rf33 corresponding to a region with amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW
Immunogen:	amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW
Immunogen: Specificity:	amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW C2 ORF33 antibody was raised against the C terminal Of C2 rf33
Immunogen: Specificity: Purification:	amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW C2 ORF33 antibody was raised against the C terminal Of C2 rf33
Immunogen: Specificity: Purification: Target Details	amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW C2 ORF33 antibody was raised against the C terminal Of C2 rf33 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids VVDAASLRRQIIKLNRRLQLLEEENKERAKREMVMYSITVAFWLLNSWLW C2 ORF33 antibody was raised against the C terminal Of C2 rf33 Affinity purified MFF


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	C2ORF33 Blocking Peptide, catalog no. 33R-9870, is also available for use as a blocking control
	in assays to test for specificity of this C2ORF33 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of C0 RF33 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. C2ORF33 antibody used at 1 ug/ml to detect target protein.