

Datasheet for ABIN635244 anti-AADACL4 antibody (N-Term)

1 Image



Go to Product page

\sim				
()	Ive	r\ /	\cap	Λ.
\cup	$\lor \lor \vdash$	I V I	\Box	٧V

Quantity:	100 μL
Target:	AADACL4
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AADACL4 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	AADACL4 antibody was raised using the N terminal of AADACL4 corresponding to a region with
	AADACL4 antibody was raised using the N terminal of AADACL4 corresponding to a region with amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG
Immunogen:	amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG
Immunogen: Specificity:	amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG AADACL4 antibody was raised against the N terminal of AADACL4
Immunogen: Specificity: Purification:	amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG AADACL4 antibody was raised against the N terminal of AADACL4
Immunogen: Specificity: Purification: Target Details	amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG AADACL4 antibody was raised against the N terminal of AADACL4 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids FIRFLHDSVRIKKDPELVVTDLRFGTIPVRLFQPKAASSRPRRGIIFYHG AADACL4 antibody was raised against the N terminal of AADACL4 Affinity purified AADACL4


Application Details

Application Notes:	WB: 1 µg/mL	
	Optimal conditions should be determined by the investigator.	
Comment:	AADACL4 Blocking Peptide, catalog no. 33R-2935, is also available for use as a blocking control in assays to test for specificity of this AADACL4 antibody	
Restrictions:	For Research Use only	

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of AADACL4 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. AADACL4 antibody used at 1 ug/ml to detect target protein.