

Datasheet for ABIN635293
anti-SLC02B1 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	SLC02B1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC02B1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	SLC02 B1 antibody was raised using the N terminal of SLC02 1 corresponding to a region with amino acids DPQDVRPSVFNHNIKLFVLCHSLLQLAQLMISGYLKSSISTVEKRFGGLSSQ
Specificity:	SLC02 B1 antibody was raised against the N terminal of SLC02 1
Purification:	Affinity purified

Target Details

Target:	SLC02B1
Alternative Name:	SLC02B1 (SLC02B1 Products)
Background:	SLC02B1 mediates the Na ⁺ -independent transport of organic anions such as taurocholate, the prostaglandins PGD ₂ , PGE ₁ , PGE ₂ , leukotriene C ₄ , thromboxane B ₂ and iloprost.

Target Details

Molecular Weight: 77 kDa (MW of target protein)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: SLC02B1 Blocking Peptide, catalog no. 33R-2111, is also available for use as a blocking control in assays to test for specificity of this SLC02B1 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of SLC00 1 antibody in PBS

Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. SLC02B1 antibody used at 1 ug/ml to detect target protein.