

Datasheet for ABIN635592

anti-BTNL9 antibody (N-Term)





Overview

100 μL
BTNL9
N-Term
Human
Rabbit
Polyclonal
This BTNL9 antibody is un-conjugated
Western Blotting (WB)
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with amino acids EIRWFRSQTFNVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQL
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with amino acids EIRWFRSQTFNVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQL BTNL9 antibody was raised against the N terminal of BTNL9
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with amino acids EIRWFRSQTFNVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQL BTNL9 antibody was raised against the N terminal of BTNL9
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with amino acids EIRWFRSQTFNVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQL BTNL9 antibody was raised against the N terminal of BTNL9 Affinity purified
BTNL9 antibody was raised using the N terminal of BTNL9 corresponding to a region with amino acids EIRWFRSQTFNVVHLYQEQQELPGRQMPAFRNRTKLVKDDIAYGSVVLQL BTNL9 antibody was raised against the N terminal of BTNL9 Affinity purified BTNL9


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	BTNL9 Blocking Peptide, catalog no. 33R-2485, is also available for use as a blocking control in
	assays to test for specificity of this BTNL9 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of BTNL9 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. BTNL9 antibody used at 1 ug/ml to detect target protein.