

Datasheet for ABIN635676

anti-SLC35F1 antibody (N-Term)





Go to Product page

\sim	
Over	\/I\P\\/
0 1 01	VICVV

Quantity:	100 μL
Target:	SLC35F1
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC35F1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	SLC35 F1 antibody was raised using the N terminal of SLC35 1 corresponding to a region with
	SLC35 F1 antibody was raised using the N terminal of SLC35 1 corresponding to a region with amino acids MIPPEQPQQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ
Immunogen:	amino acids MIPPEQPQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ
Immunogen: Specificity:	amino acids MIPPEQPQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ SLC35 F1 antibody was raised against the N terminal of SLC35 1
Immunogen: Specificity: Purification:	amino acids MIPPEQPQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ SLC35 F1 antibody was raised against the N terminal of SLC35 1
Immunogen: Specificity: Purification: Target Details	amino acids MIPPEQPQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ SLC35 F1 antibody was raised against the N terminal of SLC35 1 Affinity purified
Immunogen: Specificity: Purification: Target Details Target:	amino acids MIPPEQPQQLQPPSPAPPNHVVTTIENLPAEGSGGGGSLSASSRAGVRQ SLC35 F1 antibody was raised against the N terminal of SLC35 1 Affinity purified SLC35F1


Application Details

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	SLC35F1 Blocking Peptide, catalog no. 33R-6116, is also available for use as a blocking control
	in assays to test for specificity of this SLC35F1 antibody
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of SLC30 1 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

Images



Western Blotting

Image 1. SLC35F1 antibody used at 1 ug/ml to detect target protein.