

# Datasheet for ABIN635718 anti-SLC39A5 antibody

## 2 Images



#### Go to Product page

$\sim$			
	ve	r\/	٨
$\cup$	V C	1 V I	٧V

Overview		
Quantity:	100 μL	
Target:	SLC39A5	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC39A5 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
lmmunogen:	SLC39 A5 antibody was raised using a synthetic peptide corresponding to a region with amino acids HYLAQLFGLYGENGTLTAGGLARLLHSLGLGRVQGLRLGQHGPLTGRAAS	
Purification:	Affinity purified	
Target Details		
Target:	SLC39A5	
Alternative Name:	SLC39A5 (SLC39A5 Products)	
Background:	Zinc is an essential cofactor for hundreds of enzymes. It is involved in protein, nucleic acid, carbohydrate, and lipid metabolism, as well as in the control of gene transcription, growth, development, and differentiation. SLC39A5 belongs to a subfamily of proteins that show structural characteristics of zinc transporters.	
Molecular Weight:	56 kDa (MW of target protein)	

## **Target Details**


## **Application Details**

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	SLC39A5 Blocking Peptide, catalog no. 33R-3877, is also available for use as a blocking control in assays to test for specificity of this SLC39A5 antibody
Restrictions:	For Research Use only

## Handling


Format:	Lyophilized	
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of SLC30 5 antibody in PBS	
Concentration:	Lot specific	
Buffer:	PBS	
Handling Advice:	Avoid repeated freeze/thaw cycles.	
Storage:	4 °C/-20 °C	
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.	

## **Images**



## Immunohistochemistry

**Image 1.** SLC39A5 antibody was used for immunohistochemistry at a concentration of 4-8 ug/ml. Magnification is at 400X



### **Western Blotting**

**Image 2.** SLC39A5 antibody used at 1 ug/ml to detect target protein.