

Datasheet for ABIN635756
anti-PGAP3 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	PGAP3
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PGAP3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	PERLD1 antibody was raised using the N terminal of PERLD1 corresponding to a region with amino acids AGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSSGALNHFRS
Specificity:	PERLD1 antibody was raised against the N terminal of PERLD1
Purification:	Affinity purified

Target Details

Target:	PGAP3
Alternative Name:	PERLD1 (PGAP3 Products)
Background:	PERLD1 is involved in the lipid remodeling steps of GPI-anchor maturation. Lipid remodeling steps consist in the generation of 2 saturated fatty chains at the sn-2 position of GPI-anchors proteins.

Target Details

Molecular Weight: 36 kDa (MW of target protein)

Pathways: [Inositol Metabolic Process](#)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: PERLD1 Blocking Peptide, catalog no. 33R-1204, is also available for use as a blocking control in assays to test for specificity of this PERLD1 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of PERLD1 antibody in PBS


Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. PERLD1 antibody used at 1 ug/ml to detect target protein.