

Datasheet for ABIN635951

anti-B4GALNT1 antibody (N-Term)

1 Image




Go to Product page

| _ | | | | |
|-----|-----|-----|-----|---|
| () | ve. | rv/ | 101 | Λ |

| Polyclonal | |
|--|--|
| This B4GALNT1 antibody is un-conjugated | |
| | |
| | |
| g to a region | |
| ESSGG | |
| B4 GALNT1 antibody was raised against the N terminal of B4 ALNT1 | |
| | |
| | |
| B4GALNT1 | |
| B4GALNT1 (B4GALNT1 Products) | |
| | |
| -T is the | |
| -T is the | |
| Application: Western Blotting (WB) Product Details Immunogen: B4 GALNT1 antibody was raised using the N terminal of B4 ALNT1 corresponding to with amino acids APWAPPQSPRRPELPDLAPEPRYAHIPVRIKEQVVGLLAWNNCSCES | |

Target Details

| ranger betane | | |
|---------------------|--|--|
| | linkage, resulting in the synthesis of $G(M2)$ and $G(D2)$, respectively. $GM2$ and $GD2$ gangliosides are sialic acid-containing glycosphingolipids. | |
| Molecular Weight: | 59 kDa (MW of target protein) | |
| Application Details | | |
| Application Notes: | WB: 1 μg/mL Optimal conditions should be determined by the investigator. | |
| Comment: | B4GALNT1 Blocking Peptide, catalog no. 33R-1441, is also available for use as a blocking control in assays to test for specificity of this B4GALNT1 antibody | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Lyophilized | |
| Reconstitution: | Lyophilized powder. Add distilled water for a 1 mg/mL concentration of B0 ALNT1 antibody in PBS | |
| Concentration: | Lot specific | |
| Buffer: | PBS | |
| Handling Advice: | Avoid repeated freeze/thaw cycles. Dilute only prior to immediate use. | |
| Storage: | 4 °C/-20 °C | |
| Storage Comment: | Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C. | |



Western Blotting

Image 1. B4GALNT1 antibody used at 1 ug/ml to detect target protein.