

# Datasheet for ABIN636092

# anti-LRRC33 antibody (N-Term)





#### Overview

Quantity:	100 μL
Target:	LRRC33 (NRROS)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRRC33 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details  Immunogen:	LRRC33 antibody was raised using the N terminal of LRRC33 corresponding to a region with
	LRRC33 antibody was raised using the N terminal of LRRC33 corresponding to a region with amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL
Immunogen:	amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL
Immunogen: Specificity:	amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL  LRRC33 antibody was raised against the N terminal of LRRC33
Immunogen:  Specificity:  Purification:	amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL  LRRC33 antibody was raised against the N terminal of LRRC33
Immunogen:  Specificity:  Purification:  Target Details	amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL  LRRC33 antibody was raised against the N terminal of LRRC33  Affinity purified
Immunogen:  Specificity:  Purification:  Target Details  Target:	amino acids GLERLRELDLQRNYIFEIEGGAFDGLAELRHLNLAFNNLPCIVDFGLTRL  LRRC33 antibody was raised against the N terminal of LRRC33  Affinity purified  LRRC33 (NRROS)


# **Application Details**

Application Notes:	WB: 1 µg/mL
	Optimal conditions should be determined by the investigator.
Comment:	LRRC33 Blocking Peptide, catalog no. 33R-3389, is also available for use as a blocking control in assays to test for specificity of this LRRC33 antibody
Restrictions:	For Research Use only

# Handling

Format:	Lyophilized
Reconstitution:	Lyophilized powder. Add distilled water for a 1 mg/mL concentration of LRRC33 antibody in PBS
Concentration:	Lot specific
Buffer:	PBS
Handling Advice:	Avoid repeated freeze/thaw cycles.  Dilute only prior to immediate use.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.

#### **Images**



#### **Western Blotting**

**Image 1.** LRRC33 antibody used at 1 ug/ml to detect target protein.