

Datasheet for ABIN636105
anti-UGT2B15 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	UGT2B15
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UGT2B15 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	UGT2 B15 antibody was raised using the N terminal of µgT2 15 corresponding to a region with amino acids IKLEVYPTSLTKNYLEDSELLKILDRWIYGVSKNTFWSYFSQLQELCWEYY
Specificity:	UGT2 B15 antibody was raised against the N terminal of µgT2 15
Purification:	Affinity purified

Target Details

Target:	UGT2B15
Alternative Name:	UGT2B15 (UGT2B15 Products)
Background:	The UGTs are of major importance in the conjugation and subsequent elimination of potentially toxic xenobiotics and endogenous compounds. UGT2B8 demonstrates reactivity with estriol.

Target Details

Molecular Weight: 61 kDa (MW of target protein)

Pathways: [Steroid Hormone Biosynthesis](#)

Application Details

Application Notes: WB: 1 µg/mL
Optimal conditions should be determined by the investigator.

Comment: UGT2B15 Blocking Peptide, catalog no. 33R-4025, is also available for use as a blocking control in assays to test for specificity of this µgT2B15 antibody

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Lyophilized powder. Add distilled water for a 1 mg/mL concentration of µgT0 15 antibody in PBS

Concentration: Lot specific

Buffer: PBS

Handling Advice: Avoid repeated freeze/thaw cycles.
Dilute only prior to immediate use.

Storage: 4 °C/-20 °C

Storage Comment: Store at 2-8 °C for short periods. For longer periods of storage, store at -20 °C.



Western Blotting

Image 1. UGT2B15 antibody used at 1 ug/ml to detect target protein.