

Datasheet for ABIN637539

Goat anti-Mouse IgG (Whole Molecule) Antibody[Go to Product page](#)**1** Image

Overview

Quantity:	2 mg
Target:	IgG
Binding Specificity:	Whole Molecule
Reactivity:	Mouse
Host:	Goat
Application:	ELISA, Immunohistochemistry (IHC), Western Blotting (WB)

Product Details

Immunogen:	Goat anti-mouse IgG (H+L) was raised in goat using murine IgG, whole molecule as the immunogen.
Characteristics:	Goat anti Mouse IgG (H + L) secondary antibody Alternative Names: Goat anti Mouse Immunoglobulin G (H + L) secondary antibody
Purification:	Purified

Target Details

Target:	IgG
Abstract:	IgG Products
Target Type:	Antibody


Application Details

Application Notes:	ELISA: 1:20,000-1:100,000, IHC: 1:1,000-1:5,000, WB: 1:2,000-1:10,000
--------------------	---

Application Details

Restrictions:	For Research Use only
Handling	
Concentration:	Lot specific
Buffer:	0.02 M K2 O4, pH 7.2, with 0.12 NaCl, and 0.01 % NaN3.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Aliquot to Avoid repeated freezing and thawing.
Storage:	4 °C/-20 °C
Storage Comment:	Store at 4 °C for short term storage. Aliquot and store at -20 °C for long term storage.

Images



Western Blotting

Image 1. Lane 1: Mouse IgG. Load: 100 ng per lane. Primary antibody: Mouse IgG (H + L) antibody 1:1, 000 overnight at 4 deg C. Secondary antibody: DyLight 800 Donkey Anti-Goat IgG at 1:20, 000 for 30 min at RT. Block for 30 min at RT. Size: 28 and 55 kDa.