antibodies -online.com





CCL18 Protein (AA 22-89) (His tag)





Go to Product page

Overview

Quantity:	50 μg
Target:	CCL18
Protein Characteristics:	AA 22-89
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CCL18 protein is labelled with His tag.
Application:	SDS-PAGE (SDS)

Product Details

Characteristics:	CCL18, 22-89aa, Human, His tag, E.coli
Purity:	> 95 % by SDS - PAGE

Target Details

Target:	CCL18
Alternative Name:	CCL18 (CCL18 Products)
Background:	CCL18, also known as chemokine (C-C motif) ligand 18, a chemotactic factor that attracts lymphocytes but not monocytes or granulocytes may be involved in B cell migration into B cell fallials in lymph nodes. It attracts noive T lymphocytes toward dendritie cells and activated
	follicles in lymph nodes. It attracts naive T lymphocytes toward dendritic cells and activated macrophages in lymph nodes, has chemotactic activity for naive T cells, CD4+ and CD8+ T cells and thus may play a role in both humoral and cell-mediated immunity responses. Recombinant

Target Details

human CCL18 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by
using conventional chromatography techniques. Synonyms: C-C motif chemokine 18, AMAC-1,
AMAC1, CKb7, DC-CK1, DCCK1, MIP-4, PARC, SCYA18. NCBI no.: NP_002979

Molecular Weight:

10.4 kDa (93aa), confirmed by MALDI-TOF

Application Details


Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	0.25 mg/ml (determined by BCA assay)
Buffer:	Liquid. In 10mM Sodium Citrate pH3.5, 10% Glycerol
Storage:	4 °C

Images



SDS-PAGE

Image 1.