

Datasheet for ABIN6387854  
**GLUL Protein (AA 1-373)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µg
Target:	GLUL
Protein Characteristics:	AA 1-373
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Application:	SDS-PAGE (SDS), Enzyme Activity Assay (EAA)

## Product Details

Sequence:	MTTSASSHLN KGIKQVYMSL PQGEKVQAMY IWIDGTGEG L RCKTRTLDSE PKCVEELPEW NFDGSSTLQS EGSNSDMYLV PAAMFRDPFR KDPNKLVLCE VFKYNRRPAE TNLRHTCKRI MDMVSNQHPW FGMEQEYTL M GTDGHFPGWP SNGFPGPQGP YYCGVGADRA YGRDIVEAHY RACLYAGVKI AGTNAEVM P QWEFQIGPCE GISMGDHLWV ARFILHRVCE DFGVIATFDP KPIPGNWNGA GCHTNFSTKA MREENGLKYI EEAIEKLSKR HQYHIRAYDP KGGLDNARRL TGFHETSNIN DFSAGVANRS ASIRIPRTVG QEKKG YFEDR RPSANCDPFS VTEALIRTCL LNETGDEPFQ YKN
Purity:	> 85% by SDS-PAGE
Biological Activity Comment:	Specific activity is > 2.000pmol/min/ug, and is defined as the amount of enzyme that convert L-glutamate to L-glutamine per miunte at pH 7.5 at 37C in coupled system with PK/LDH.

## Target Details


Target:	GLUL
Alternative Name:	Glutamine synthetase/GLUL ( <a href="#">GLUL Products</a> )
Background:	GLUL also known as Glutamine synthetase. It is a trimetallic enzyme containing two divalent cation sites and one monovalent cation site per subunit. GLUL is able to regulate intracellular concentrations of glutamate and catalyzes the synthesis of glutamine from glutamate and ammonia. It is ubiquitously expressed in the human and plays a major role for many metabolic pathways such as cell proliferation, inhibition of apoptosis, and cell signaling. Recombinant Human GLUL was expressed in E. coli and purified by using conventional chromatography techniques
Molecular Weight:	42 kDa (373aa) confirmed by MALDI-TOF
NCBI Accession:	<a href="#">NP_001028216</a>
UniProt:	<a href="#">P15104</a>
Pathways:	<a href="#">Positive Regulation of Peptide Hormone Secretion</a>

## Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. In 20 mM Tris-HCl buffer ( pH 8.0) containing 10 % glycerol, 1 mM DTT, 0.1 mM PMSF
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Can be stored at +2°C to +8°C for 1 week. For long term storage, aliquot and store at -20°C to -80°C. Avoid repeated freezing and thawing cycles.



SDS-PAGE
Image 1.