

Datasheet for ABIN650774
anti-HNRNPL antibody (AA 249-277)[Go to Product page](#)

4 Images

Overview

Quantity:	400 µL
Target:	HNRNPL
Binding Specificity:	AA 249-277
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPL antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS)

Product Details

Immunogen:	This HNRNPL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 249-277 amino acids from the Central region of human HNRNPL.
Clone:	RB20811
Isotype:	Ig Fraction
Predicted Reactivity:	M, Rat
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Target Details

Target:	HNRNPL
---------	--------

Target Details


Alternative Name:	HNRPL (HNRNPL Products)
Background:	HNRPL is a component of the heterogeneous nuclear ribonucleoprotein (hnRNP) complexes which provide the substrate for the processing events that pre-mRNAs undergo before becoming functional, translatable mRNAs in the cytoplasm. L is associated with most nascent transcripts including those of the landmark giant loops of amphibian lampbrush chromosomes.
Molecular Weight:	64133
Gene ID:	3191
NCBI Accession:	NP_001005335 , NP_001524
UniProt:	P14866

Application Details

Application Notes:	WB: 1:1000. WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




Flow Cytometry

Image 1. HNRPL Antibody (Center) (ABIN650774 and ABIN2839554) flow cytometric analysis of Jurkat cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. Western blot analysis of HNRPL Antibody (Center) (ABIN650774 and ABIN2839554) in HepG2, Jurkat cell line lysates (35 µg/lane). HNRPL (arrow) was detected using the purified Pab.



Western Blotting

Image 3. Western blot analysis of HNRPL (arrow) using rabbit polyclonal HNRPL Antibody (Center) (ABIN650774 and ABIN2839554). 293 cell lysates (2 µg/lane) either nontransfected (Lane 1) or transiently transfected with the HNRPL gene (Lane 2).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN650774.