

# Datasheet for ABIN650797 anti-MUC1 antibody (pTyr1229)

## 1 Image



### Overview Quantity: 400 µL Target: MUC1 Binding Specificity: pTyr1229 Reactivity: Human Rabbit Host: Clonality: Polyclonal Conjugate: This MUC1 antibody is un-conjugated Application: Dot Blot (DB) **Product Details** This MUC1 Antibody is generated from rabbits immunized with a KLH conjugated synthetic Immunogen: phosphopeptide corresponding to amino acid residues surrounding Y1229 of human MUC1. RB15190 Clone: Ig Fraction Isotype: Purification: This antibody is purified through a protein A column, followed by peptide affinity purification. **Target Details** Target: MUC1 Alternative Name: MUC1 (MUC1 Products) Background: MUC1 is a member of the mucin family and a membrane bound, glycosylated phosphoprotein.

The protein is anchored to the apical surface of many epithelia by a transmembrane domain,
with the degree of glycosylation varying with cell type. It also includes a 20 aa variable number
tandem repeat (VNTR) domain, with the number of repeats varying from 20 to 120 in different
individuals. The protein serves a protective function by binding to pathogens and also functions
in a cell signaling capacity. Overexpression, aberrant intracellular localization, and changes in
glycosylation of this protein have been associated with carcinomas.


	glycosylation of this protein have been associated with carcinomas.
Molecular Weight:	122102
Gene ID:	4582
NCBI Accession:	NP_001018016, NP_001018017, NP_001037855, NP_001037856, NP_001037857,
	NP_001037858, NP_001191214, NP_001191215, NP_001191216, NP_001191217,
	NP_001191218, NP_001191219, NP_001191220, NP_00
UniProt:	P15941
Pathways:	Negative Regulation of intrinsic apoptotic Signaling

#### **Application Details**

Application Notes:	DB: 1:500
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



#### **Dot Blot**

**Image 1.** Dot blot analysis of MUC1 Antibody (p) Pab (ABIN650797 and ABIN2839774) on nitrocellulose membrane. 50 ng of Phospho-peptide or Non Phosphopeptide per dot were adsorbed. Antibody working concentrations are 0.5 μg per ml.