

Datasheet for ABIN650916  
**anti-PAQR3 antibody (C-Term)**[Go to Product page](#)

1 Image

1 Publication

## Overview

Quantity:	400 µL
Target:	PAQR3
Binding Specificity:	AA 242-270, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PAQR3 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This PAQR3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 242-270 amino acids from the C-terminal region of human PAQR3.
Clone:	RB24961
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	PAQR3
Alternative Name:	PAQR3 ( <a href="#">PAQR3 Products</a> )

## Target Details

Background:	PAQR3 is function as a spatial regulator of RAF1 kinase by sequestering it to the Golgi.
Molecular Weight:	36217
Gene ID:	152559
NCBI Accession:	<a href="#">NP_001035292</a>
UniProt:	<a href="#">Q6TCH7</a>

## Application Details


Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

## Publications

Product cited in:	Xu, Han, Epstein, Liu: "Regulation of PDK mRNA by high fatty acid and glucose in pancreatic islets." in: <b>Biochemical and biophysical research communications</b> , Vol. 344, Issue 3, pp. 827-33, (2006) ( <a href="#">PubMed</a> ).
-------------------	---



**Western Blotting**

**Image 1.** Western blot analysis of QR3 Antibody (C-term) (ABIN650916 and ABIN2839993) in WiDr cell line lysates (35 µg/lane). QR3 (arrow) was detected using the purified b.