



Datasheet for ABIN651155  
**anti-TMEM131L antibody (C-Term)**



[Go to Product page](#)

2 Images

Overview

Quantity:	400 µL
Target:	TMEM131L
Binding Specificity:	AA 1266-1295, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMEM131L antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS)

Product Details

Immunogen:	This T131L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1266-1295 amino acids from the C-terminal region of human T131L.
Clone:	RB25767
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	TMEM131L
Alternative Name:	T131L ( <a href="#">TMEM131L Products</a> )
Molecular Weight:	179339

## Target Details

Gene ID:	23240
NCBI Accession:	<a href="#">NP_001124479</a> , <a href="#">NP_056011</a>
UniProt:	<a href="#">A2VDJ0</a>


## Application Details

Application Notes:	WB: 1:1000. FC: 1:10~50
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

## Images



### Flow Cytometry

**Image 1.** T131L Antibody (C-term) (ABIN651155 and ABIN2840102) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



### Western Blotting

**Image 2.** Western blot analysis of T131L Antibody (C-term) (ABIN651155 and ABIN2840102) in HL-60 cell line lysates (35 µg/lane). T131L (arrow) was detected using the purified Pab.