

Datasheet for ABIN651327
anti-STRIP2 antibody (N-Term)[Go to Product page](#)

2 Images

Overview

| | |
|----------------------|--|
| Quantity: | 400 µL |
| Target: | STRIP2 |
| Binding Specificity: | AA 14-41, N-Term |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This STRIP2 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|---------------|--|
| Immunogen: | This FA40B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 14-41 amino acids from the N-terminal region of human FA40B. |
| Clone: | RB24816 |
| Isotype: | Ig Fraction |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification. |

Target Details

| | |
|-------------------|---|
| Target: | STRIP2 |
| Alternative Name: | FA40B (STRIP2 Products) |
| Background: | The function of this protein has not been specifically defined. |

Target Details

| | |
|-------------------|--|
| Molecular Weight: | 95360 |
| Gene ID: | 57464 |
| NCBI Accession: | NP_001127808 , NP_065755 |
| UniProt: | Q9ULQ0 |


Application Details

| | |
|--------------------|-----------------------------|
| Application Notes: | WB: 1:1000. IHC-P: 1:50~100 |
| Restrictions: | For Research Use only |

Handling


| | |
|--------------------|--|
| Format: | Liquid |
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles. |
| Expiry Date: | 6 months |

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. FA40B Antibody (N-term) (ABIN651327 and ABIN2840190) IHC analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FA40B Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. Western blot analysis of FA40B Antibody (N-term) (ABIN651327 and ABIN2840190) in mouse kidney tissue lysates (35 µg/lane).FA40B (arrow) was detected using the purified Pab.