



[Go to Product page](#)

Datasheet for ABIN651350
anti-CCDC62 antibody (C-Term)

2 Images

Overview

Quantity:	400 µL
Target:	CCDC62
Binding Specificity:	AA 651-679, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC62 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This CCDC62 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 651-679 amino acids from the C-terminal region of human CCDC62.
Clone:	RB26276
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	CCDC62
Alternative Name:	CCDC62 (CCDC62 Products)
Background:	The function of this protein has not been specifically defined.

Target Details

Molecular Weight:	77748
Gene ID:	84660
NCBI Accession:	NP_958843
UniProt:	Q6P9F0


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. CCDC62 Antibody (C-term) (ABIN651350 and ABIN2840196) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CCDC62 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. Western blot analysis of CCDC62 Antibody (C-term) (ABIN651350 and ABIN2840196) in NCI- cell line lysates (35 µg/lane).CCDC62 (arrow) was detected using the purified Pab.