antibodies -online.com





anti-SNRNP40 antibody (AA 122-149)

2 Images



Go to Product page

\sim				
	$ V \cap$	r\/I	19	٨

Overview	
Quantity:	400 μL
Target:	SNRNP40
Binding Specificity:	AA 122-149
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SNRNP40 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This SNRNP40 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 122-149 amino acids from the Central region of human SNRNP40.
Clone:	RB26447
Isotype:	lg Fraction
Predicted Reactivity:	М
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	SNRNP40
Alternative Name:	SNRNP40 (SNRNP40 Products)

Target Details


Background:	SNRNP40 encodes a component of the U5 small nuclear ribonucleoprotein (snRNP) particle. The U5 snRNP is part of the spliceosome, a multiprotein complex that catalyzes the removal of introns from pre-messenger RNAs.
Molecular Weight:	39311
Gene ID:	9410
NCBI Accession:	NP_004805
UniProt:	Q96DI7


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. SNRNP40 Antibody (Center) (ABIN651465 and ABIN2840256) immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the SNRNP40 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. Western blot analysis of SNRNP40 Antibody (Center) (ABIN651465 and ABIN2840256) in Neuro-2a cell line lysates (35 μg/lane).SNRNP40 (arrow) was detected using the purified Pab.