

Datasheet for ABIN651518  
**anti-TTC26 antibody (C-Term)**



[Go to Product page](#)

2 Images

### Overview

Quantity:	400 µL
Target:	TTC26
Binding Specificity:	AA 467-496, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC26 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

### Product Details

Immunogen:	This TTC26 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 467-496 amino acids from the C-terminal region of human TTC26.
Clone:	RB26708
Isotype:	Ig Fraction
Predicted Reactivity:	Pr, M, Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

### Target Details

Target:	TTC26
Alternative Name:	TTC26 ( <a href="#">TTC26 Products</a> )

## Target Details

Molecular Weight:	64178
Gene ID:	79989
NCBI Accession:	<a href="#">NP_001138392</a> , <a href="#">NP_001138395</a> , <a href="#">NP_079202</a>
UniProt:	<a href="#">A0AVF1</a>

## Application Details


Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

## Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

## Images



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** TTC26 Antibody (C-term) (ABIN651518 and ABIN2840274) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the TTC26 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



### Western Blotting

**Image 2.** TTC26 Antibody (C-term) (ABIN651518 and ABIN2840274) western blot analysis in NCI- cell line lysates (35 µg/lane). This demonstrates the TTC26 antibody detected the TTC26 protein (arrow).