

Datasheet for ABIN651674  
**anti-AAGAB antibody (C-Term)**[Go to Product page](#)

## 3 Images

## Overview

Quantity:	400 µL
Target:	AAGAB
Binding Specificity:	AA 286-313, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AAGAB antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This FLJ11506 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 286-313 amino acids from the C-terminal region of human FLJ11506.
Clone:	RB26922
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	AAGAB
Alternative Name:	FLJ11506 ( <a href="#">AAGAB Products</a> )

## Target Details




Background:	FLJ11506 may play a role in membrane traffic
Molecular Weight:	34594
Gene ID:	79719
NCBI Accession:	<a href="#">NP_001258814</a> , <a href="#">NP_001258815</a> , <a href="#">NP_078942</a>
UniProt:	<a href="#">Q6PD74</a>

## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



### Flow Cytometry

**Image 1.** FL Antibody (C-term) (ABIN651674 and ABIN2840355) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

### Western Blotting

**Image 2.** FL Antibody (C-term) (ABIN651674 and ABIN2840355) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the FL antibody detected the FL protein (arrow).

### Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** FL Antibody (C-term) (ABIN651674 and ABIN2840355) immunohistochemistry analysis in formalin fixed and paraffin embedded human cervix carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FL Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.