antibodies - online.com







anti-N4BP3 antibody (N-Term)

Images



\sim					
	1//	r۱.	/ I	\triangle	٨

Overview	
Quantity:	400 μL
Target:	N4BP3
Binding Specificity:	AA 50-79, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This N4BP3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This N4BP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 50-79 amino acids from the N-terminal region of human N4BP3.
Clone:	RB27221
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	N4BP3
Alternative Name:	N4BP3 (N4BP3 Products)
Molecular Weight:	60470

Target Details

Gene ID:	23138
NCBI Accession:	NP_055926
UniProt:	015049


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. N4BP3 Antibody (N-term) (ABIN651821 and ABIN2840413) immunohistochemistry analysis in formalin fixed and paraffin embedded human cervix carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the N4BP3 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. N4BP3 Antibody (N-term) (ABIN651821 and ABIN2840413) western blot analysis in ZR-75-1 cell line lysates (15 μ g/lane). This demonstrates the N4BP3 antibody detected the N4BP3 protein (arrow).