

Datasheet for ABIN651984
anti-ERI3 antibody (C-Term)[Go to Product page](#)

2 Images

Overview

Quantity:	400 µL
Target:	ERI3
Binding Specificity:	AA 309-337, C-Term
Reactivity:	Human, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ERI3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This PRNIP antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 309-337 amino acids from the C-terminal region of human PRNIP.
Clone:	RB27355
Isotype:	Ig Fraction
Predicted Reactivity:	B
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ERI3
Alternative Name:	PRNIP (ERI3 Products)

Target Details

Molecular Weight:	37238
Gene ID:	79033
NCBI Accession:	NP_076971
UniProt:	O43414


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Validation report #100013 for Immunofluorescence (IF)



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. PRNIP Antibody (C-term) (ABIN651984 and ABIN2840482) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the PRNIP Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. PRNIP Antibody (C-term) (ABIN651984 and ABIN2840482) western blot analysis in CHO cell line lysates (15 µg/lane). This demonstrates the PRNIP antibody detected the PRNIP protein (arrow).