



[Go to Product page](#)

Datasheet for ABIN652053
anti-TAC1 antibody (C-Term)

2 Images

Overview

Quantity:	400 µL
Target:	TAC1
Binding Specificity:	AA 102-129, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAC1 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS)

Product Details

Immunogen:	This TAC1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 102-129 amino acids from the C-terminal region of human TAC1.
Clone:	RB22432
Isotype:	Ig Fraction
Predicted Reactivity:	M, Rb, Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	TAC1
Alternative Name:	TAC1 (TAC1 Products)

Target Details

Molecular Weight:	15003
Gene ID:	6863
NCBI Accession:	NP_003173 , NP_054702 , NP_054703 , NP_054704
UniProt:	P20366


Application Details

Application Notes:	WB: 1:1000. FC: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Flow Cytometry

Image 1. TAC1 Antibody (C-term) (ABIN652053 and ABIN2840522) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. TAC1 Antibody (C-term) (ABIN652053 and ABIN2840522) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the TAC1 antibody detected the TAC1 protein (arrow).