



[Go to Product page](#)

Datasheet for ABIN652073

## anti-C13orf18 antibody (AA 379-405)

### 2 Images

#### Overview

|                      |  |
|----------------------|--|
| Quantity:            | 400 µL                                       |
| Target:              | C13orf18                                     |
| Binding Specificity: | AA 379-405                                   |
| Reactivity:          | Human  |
| Host:                | Rabbit                                       |
| Clonality:           | Polyclonal                                   |
| Conjugate:           | This C13orf18 antibody is un-conjugated      |
| Application:         | Western Blotting (WB), Flow Cytometry (FACS) |

#### Product Details

|               |   |
|---------------|---|
| Immunogen:    | This C13orf18 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 379-405 amino acids from the Central region of human C13orf18. |
| Clone:        | RB23357   |
| Isotype:      | Ig Fraction   |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification.  |

#### Target Details

|                   |  |
|-------------------|--|
| Target:           | C13orf18                                       |
| Alternative Name: | C13orf18 ( <a href="#">C13orf18 Products</a> ) |
| Molecular Weight: | 73457  |

## Target Details

Gene ID: 80183

NCBI Accession: [NP\\_079389](#)

UniProt: [Q9H714](#)

## Application Details

Application Notes: WB: 1:1000. FC: 1:10~50

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

## Images



### Flow Cytometry

**Image 1.** C13orf18 Antibody (Center) (ABIN652073 and ABIN2840537) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



### Western Blotting

**Image 2.** Anti-C13orf18 Antibody (Center) at 1:1000 dilution + Jurkat whole cell lysate Lysates/proteins at 20  $\mu$ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 73 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.