



[Go to Product page](#)

Datasheet for ABIN652140
anti-DDI2 antibody (AA 167-196)

2 Images

Overview

Quantity:	400 µL
Target:	DDI2
Binding Specificity:	AA 167-196
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDI2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This DDI2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 167-196 amino acids from the Central region of human DDI2.
Clone:	RB27417
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	DDI2
Alternative Name:	DDI2 (DDI2 Products)
Molecular Weight:	44523

Target Details

Gene ID: 84301

NCBI Accession: [NP_115717](#)

UniProt: [Q5TDH0](#)

Application Details

Application Notes: WB: 1:500. WB: 1:1000

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

Images



Western Blotting

Image 1. DDI2 Antibody (Center) (ABIN652140 and ABIN2840561) western blot analysis in mouse liver tissue lysates (15 µg/lane). This demonstrates the DDI2 antibody detected DDI2 protein (arrow).



Western Blotting

Image 2. Anti-DDI2 Antibody (Center) at 1:500 dilution + Jurkat whole cell lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 45 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.